

Supplied by: Sil-Mid Limited

T: 01675 432850 E: info@silmid.com

Roman Park, Roman Way Coleshill, West Midlands B46 1HG. UK

Emergency Telephone No. +44 (0)1675 432850

(Monday to Friday, 08:00 - 17:30 - GMT)

Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: SS4155

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Primer

Uses advised against: None known.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Importer/Distr

ibutor Information

Momentive Performance Materials GmbH

Chempark Leverkusen Gebaeude V7

DE - 51368 Leverkusen

Germany

Contact person MomentiveEMEA.productsteward@momentive.com

**Telephone** General information

00800.4321.1000 (Customer Service Centre)

**Emergency telephone** 

number

Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44

(0) 1235239671

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Physical Hazards

Flammable liquids Category 3 H226: Flammable liquid and vapor.

**Health Hazards** 

Serious eye damage Category 1 H318: Causes serious eye damage.

Specific Target Organ Toxicity -Category 3 H335: May cause respiratory irritation.

Single Exposure

Repeated Exposure

Specific Target Organ Toxicity -

Category 1<sup>1</sup> H372: Causes damage to organs through

prolonged or repeated exposure.

H304: May be fatal if swallowed and enters Aspiration Hazard Category 1

airways.

**Target Organs** 

environment

1. Central nervous system

**Environmental Hazards** 

Chronic hazards to the aquatic Category 3 H412: Harmful to aquatic life with long lasting

effects.

SDS\_GB 1/16



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

# 2.2 Label Elements

Contains: STODDARD SOLVENT

Tetraethyl Silicate

1-butanol, titanium(4+)salt 1,2,4-TRIMETHYLBENZENE Silicic acid, ethyl ester



Signal Words:

Danger

Hazard Statement(s): H226: Flammable liquid and vapor.

H318: Causes serious eye damage. H335: May cause respiratory irritation.

H372: Causes damage to organs through prolonged or repeated

exposure.

H304: May be fatal if swallowed and enters airways. H412: Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

**Prevention:** P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P260: Do not breathe dust/fume/gas/mist/vapors/spray.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

Response: P301+P310: IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P331: Do NOT induce vomiting.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

insing.

P310: Immediately call a POISON CENTER/doctor.

P370+P378: In case of fire: Use alcohol resistant foam for extinction.

#### **Unknown toxicity - Health**

Acute toxicity, oral 0 %
Acute toxicity, dermal 0 %
Acute toxicity, inhalation, vapor 0,2 %
Acute toxicity, inhalation, dust 0 %

or mist

#### **Unknown toxicity - Environment**

Acute hazards to the aquatic 0 %

environment

Chronic hazards to the aquatic 0 %

environment

**Additional Information:** No data available.

**2.3 Other hazards** No data available.

SDS\_GB 2/16



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

# **SECTION 3: Composition/information on ingredients**

Chemical nature: Primer solution.

#### 3.2 Mixtures

**General information:** No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
STODDARD SOLVENT	50 - <100%	8052-41-3	232-489-3	No data available.	No data available.	#
Tetraethyl Silicate	20 - <50%	78-10-4	201-083-8	01- 2119496195- 28-0002	No data available.	#
1-butanol, titanium(4+)sa It	5 - <10%	5593-70-4	227-006-8	No data available.	No data available.	
1,2,4- TRIMETHYLB ENZENE	2,5 - <5%	95-63-6	202-436-9	No data available.	No data available.	#
Silicic acid, ethyl ester	1 - <5%	11099-06-2	234-324-0	No data available.	No data available.	

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### Classification

Chemical name	Classification	Notes
STODDARD SOLVENT	STOT RE: 1: H372; Asp. Tox.: 1: H304; No data available.	Note P
Tetraethyl Silicate	Flam. Liq.: 3: H226; Acute Tox.: 4: H332; Eye Irrit.: 2: H319;	No data
-	STOT SE: 3: H335; No data available.	available.
1-butanol, titanium(4+)salt	Flam. Liq.: 3: H226; Skin Corr.: 2: H315; Eye Dam.: 1: H318;	
	STOT SE: 3: H336; STOT SE: 3: H335;	
1,2,4-	Flam. Liq.: 3: H226; Eye Irrit.: 2: H319; STOT SE: 3: H335;	No data
TRIMETHYLBENZENE	Skin Irrit.: 2: H315; Acute Tox.: 4: H332; Aquatic Chronic: 2:	available.
	H411; No data available.	
Silicic acid, ethyl ester	Flam. Liq.: 3: H226; STOT SE: 3: H335; Eye Dam.: 2: H319;	
	Acute Tox.: 4: H302;	

CLP: Regulation No. 1272/2008.

# **SECTION 4: First aid measures**

**General:** No action shall be taken involving any personal risk or without suitable

training.

# 4.1 Description of first aid measures

**Inhalation:** Move the expos

Move the exposed person to fresh air at once. Remove from contaminated area. Apply artificial respiration if not breathing. Call a physician or poison control center immediately. For breathing difficulties, oxygen may be necessary.

SDS\_GB 3/16

<sup>##</sup> This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

**Eye contact:** Rinse immediately with plenty of water, also under the eyelids, for at least

15 minutes. Obtain medical attention without delay, preferably from an

ophthalmologist.

**Skin Contact:** Wash off promptly and flush contaminated skin with water. Promptly

remove clothing if soaked through and flush skin with water. Get medical attention if symptoms persist. Wash contaminated clothing before reuse.

**Ingestion:** Do NOT induce vomiting. If conscious, drink plenty of water. Seek medical

attention.

4.2 Most important symptoms and effects, both acute and

delayed:

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

**Hazards:** No data available.

**Treatment:** No data available.

# SECTION 5: Firefighting measures

**General Fire Hazards:** Do not use water jet as an extinguisher, as this will spread the fire. Use

water spray to keep fire-exposed containers cool.

5.1 Extinguishing media

Suitable extinguishing

media:

Alcohol resistant foam. Carbon dioxide Dry chemical.

Unsuitable extinguishing

media:

water jet

5.2 Special hazards arising from the substance or

mixture:

Vapors are flammable and heavier than air. Vapors may travel across the ground and reach remote ignition sources causing a flashback fire danger. Ground container and transfer equipment to eliminate static electric sparks.

5.3 Advice for firefighters Special fire fighting

procedures:

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Product may charge electrostatically during pouring or filling. All equipment used when handling the product

must be grounded.

Special protective equipment for fire-fighters:

Wear self-contained breathing apparatus and protective clothing.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Extinguish and do not turn on any ignition source until the area is determined to be free from fire or explosion hazards. Avoid contact with eyes, skin, and clothing. Avoid contact with liquid and vapors. Use personal protective equipment.

**6.2 Environmental Precautions:** Avoid discharge into drains, water courses or onto the ground.

6.3 Methods and material for containment and cleaning up:

Absorb spillage with suitable absorbent material. Shovel up and place in a container for salvage or disposal.

6.4 Reference to other sections:

Prevent entry into waterways, sewer, basements or confined areas.

SDS\_GB 4/16



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

# **SECTION 7: Handling and storage:**

7.1 Precautions for safe

handling:

Do not breathe vapor/spray. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Wash hands after handling. Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures.

Storage conditions: Keep away from heat, sparks and open flame. Keep container closed. Store

in original container.

7.2 Conditions for safe storage,

including any incompatibilities:

Store in tightly closed original container in a dry and cool place.

**Storage Stability:** Material is stable under normal conditions.

**7.3 Specific end use(s):** No data available.

### SECTION 8: Exposure controls/personal protection

### **8.1 Control Parameters**

**Occupational Exposure Limits** 

Chemical name	Туре	Exposure Lim	it Values	Source
STODDARD SOLVENT	STEL	50 ppm	290 mg/m3	EU. Scientific Committee on Occupational Exposure Limit Values (SCOELs), European Commission - SCOEL (2014)
	TWA	20 ppm	116 mg/m3	EU. Scientific Committee on Occupational Exposure Limit Values (SCOELs), European Commission - SCOEL (2014)
Tetraethyl Silicate	TWA	5 ppm	44 mg/m3	EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU (02 2017)
	TWA	5 ppm	44 mg/m3	EU. Scientific Committee on Occupational Exposure Limit Values (SCOELs), European Commission - SCOEL (2014)
1,2,4-TRIMETHYLBENZENE	TWA	25 ppm	125 mg/m3	UK. EH40 Workplace Exposure Limits (WELs) (12 2011)
	TWA	20 ppm	100 mg/m3	EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU (12 2009)
	TWA	20 ppm	100 mg/m3	EU. Scientific Committee on Occupational Exposure Limit Values (SCOELs), European Commission - SCOEL (2014)

#### **Biological Limit Values**

None.

#### **DNEL-Values**

Critical component	Туре	Route of Exposure		Remarks
Tetraethyl Silicate	Workers	Dermal	12,1 mg/kg bw/day	
		Inhalation	85 mg/m3	
			85 mg/m3	
		Dermal	12,1 mg/kg bw/day	
		Inhalation	85 mg/m3	
			85 mg/m3	
	Consumers	Dermal	8,4 mg/kg bw/day	
		Inhalation	25 mg/m3	
			25 mg/m3	
		Dermal	8,4 mg/kg bw/day	
		Inhalation	25 mg/m3	
			25 mg/m3	

SDS\_GB 5/16



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### **SS4155**

#### **PNEC-Values**

Critical component	Environmental compartment		Remarks
Tetraethyl Silicate	Water	0,192 mg/l	
	Seawater	0,0192 mg/l	
	Intermittent release	10 mg/l	
	Sediment	0,18 mg/kg	Derived from PNEC(freshwater) using the equilibrium partitioning method.
	soil	0,05 mg/kg	Derived from PNEC(freshwater) using the equilibrium partitioning method.
	Sewage treatment plant	4000 mg/l	

### 8.2 Exposure controls

**Appropriate Engineering** 

Controls:

Provide eyewash station and safety shower. General (mechanical) room ventilation is expected to be satisfactory if handled at low temperatures or in covered equipment. Provide adequate ventilation if fumes or vapors are generated.

#### Individual protection measures, such as personal protective equipment

**General information:** Use only in well-ventilated areas. Do not eat, drink or smoke when using

the product. Wash hands after handling. Practice good housekeeping.

**Eye/face protection:** Safety glasses with side-shields conforming to EN166

Skin protection

Hand Protection: Advice: Protective gloves made of : Neoprene Nitrile rubber. Polyvinyl

chloride (PVC).

**Other:** Safety shoes Wear suitable protective clothing.

**Respiratory Protection:** Respirator with a vapour filter (EN 141) In case of inadequate ventilation,

use air-supplied full-mask. Respiratory protection mask with Filtertype

**ABEK** 

**Hygiene measures:** Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin,

and clothing. When using do not eat, drink or smoke. Wash thoroughly after

handling.

**Environmental exposure** 

controls:

No release to wastewater from process as such, wastewater emissions limited to release generated from final equipment cleaning step using water

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties Appearance

Physical state: liquid Form: liquid Color: Blue Odor: Faint

Odor Threshold: No data available. pH: No data available.

Freezing point: -60 °C

**Boiling Point:** > 98 °C (1.013 hPa) **Flash Point:** 36,60 °C (Closed Cup)

SDS\_GB 6/16



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

SS4155

Evaporation Rate:

Flammability (solid, gas):

Flammability Limit - Upper (%):

Flammability Limit - Lower (%):

Vapor pressure:

Vapor density (air=1):

No data available.

No data available.

No data available.

No data available.

**Density:** ca. 0,81 g/cm3 (20 °C) (DIN 51757)

Relative density: No data available.

Solubility(ies)

Solubility in Water: Negligible

Solubility (other): No data available.

Partition coefficient (n-octanol/water) Log No data available.

Pow:

Autoignition Temperature: No data available.

**Decomposition Temperature:**No decomposition if stored and applied as directed.

SADT:

Viscosity, dynamic:

Viscosity, kinematic:

Viscosity, kinema

9.2 Other information

Minimum ignition temperature: ca. 245 °C

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity:** No data available.

**10.2 Chemical Stability:** Material is stable under normal conditions.

10.3 Possibility of hazardous

reactions:

Hazardous polymerisation does not occur.

**10.4 Conditions to avoid:** Oxidizing agents.

**10.5 Incompatible Materials:** Oxidizing agents.

10.6 Hazardous Decomposition

**Products:** 

Carbon oxides Oxides of silicon. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of

formaldehyde are formed due to oxidative degradation.

# **SECTION 11: Toxicological information**

**General information:** Experience has shown, that the above mentioned product can be used

without any danger to health, as long as the usual conditions of industrial

hygiene are observed.

Information on likely routes of exposure

**Inhalation:** No data available.

**Ingestion:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

SDS\_GB 7/16



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

### 11.1 Information on toxicological effects

### **Acute toxicity**

Oral

**Product:** ATEmix: 24.693,8 mg/kg

Specified substance(s)

STODDARD SOLVENT No data available.
Tetraethyl Silicate No data available.
1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

TRIMETHYLBENZENE

Silicic acid, ethyl ester No data available.

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s)

STODDARD No data available.

**SOLVENT** 

Tetraethyl Silicate No data available. 1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

TRIMETHYLBENZENE

Silicic acid, ethyl ester No data available.

Inhalation

**Product:** ATEmix41,83 mg/l Vapour

ATEmix5,7 mg/l Dusts, mists and fumes

Specified substance(s)

STODDARD SOLVENT
Tetraethyl Silicate
1-butanol,
No data available.
No data available.

titanium(4+)salt

1,2,4- No data available.

TRIMETHYLBENZENE

Silicic acid, ethyl ester No data available.

Repeated dose toxicity

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available.

Tetraethyl Silicate NOAEL (Rat(male and female), Oral, 28 d): 10 - 50 mg/kg

LOAEL (Mouse(males), Inhalation, 28 d): 50 mg/kg

1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

TRIMETHYLBENZENE

Silicic acid, ethyl ester No data available.

**Skin Corrosion/Irritation:** 

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available.

Tetraethyl Silicate OECD Test Guideline 404 (Rabbit): Non irritating

1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

**TRIMETHYLBENZENE** 

SDS\_GB 8/16



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

Silicic acid, ethyl ester No data available.

**Serious Eye Damage/Eye** 

Irritation:

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available.

Tetraethyl Silicate OECD Test Guideline 405 (Rabbit, 72 h): Non irritating

1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

TRIMETHYLBENZENE

Silicic acid, ethyl ester No data available.

Respiratory or Skin

Sensitization:

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available.

Tetraethyl Silicate Sensitisation, skin, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Pig): Non sensitizing.

1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

TRIMETHYLBENZENE

Silicic acid, ethyl ester No data available.

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available.

Tetraethyl Silicate Chinese Hamster Ovary (CHO) (OECD 476): negative

Chromosomal aberration (OECD 473): negative

1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

TRIMETHYLBENZENE

Silicic acid, ethyl ester No data available.

In vivo

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available.
Tetraethyl Silicate No data available.
1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

TRIMETHYLBENZENE

Silicic acid, ethyl ester No data available.

Carcinogenicity

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available. Tetraethyl Silicate No data available.

SDS\_GB 9/16



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

**TRIMETHYLBENZENE** 

Silicic acid, ethyl ester No data available.

Reproductive toxicity

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available.
Tetraethyl Silicate No data available.
1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

**TRIMETHYLBENZENE** 

Silicic acid, ethyl ester No data available.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT
Tetraethyl Silicate
1-butanol,
No data available.
No data available.
No data available.

titanium(4+)salt

1,2,4- No data available.

TRIMETHYLBENZENE

Silicic acid, ethyl ester No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT

Tetraethyl Silicate

1-butanol,

No data available.

No data available.

No data available.

titanium(4+)salt

1,2,4- No data available.

**TRIMETHYLBENZENE** 

Silicic acid, ethyl ester No data available.

**Target Organs:** 

respiratory tract irritation

respiratory tract irritation

**Aspiration Hazard** 

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available.
Tetraethyl Silicate No data available.
1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

TRIMETHYLBENZENE

Silicic acid, ethyl ester No data available.

Other effects: No data available.

SDS\_GB 10/16



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Acute toxicity**

**Fish** 

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available.

Tetraethyl Silicate LC50 (Brachydanio rerio, 96 h): > 245 mg/l (Tested according to Directive

92/69/EEC.)

1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

TRIMETHYLBENZENE

Silicic acid, ethyl ester No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available.

Tetraethyl Silicate EC50 (Daphnia magna, 48 h): > 75 mg/l (OECD-Guideline 202)

1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

TRIMETHYLBENZENE

Silicic acid, ethyl ester No data available.

**Chronic Toxicity** 

Fish

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available.
Tetraethyl Silicate No data available.
1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

**TRIMETHYLBENZENE** 

Silicic acid, ethyl ester No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available.
Tetraethyl Silicate No data available.
1-butanol, No data available.

titanium(4+)salt

1,2,4- No data available.

**TRIMETHYLBENZENE** 

Silicic acid, ethyl ester No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

SDS\_GB 11/16



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

Specified substance(s)

STODDARD SOLVENT No data available.

Tetraethyl Silicate EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 100 mg/l (OECD

> Test Guideline 201) No data available.

1-butanol, titanium(4+)salt

1.2.4-

No data available.

**TRIMETHYLBENZENE** 

Silicic acid, ethyl ester No data available.

#### 12.2 Persistence and Degradability

**Biodegradation** 

Product: No data available.

Specified substance(s)

STODDARD SOLVENT No data available.

Tetraethyl Silicate activated sludge, domestic (adaptation not specified) (28 d, OECD-Guideline

301 A (DOC Die-Away Test)): 98 % Readily biodegradable

1-butanol, No data available.

titanium(4+)salt

1.2.4-

No data available.

**TRIMETHYLBENZENE** 

Silicic acid, ethyl ester No data available.

**BOD/COD Ratio** 

**Product** No data available.

Specified substance(s)

STODDARD SOLVENT No data available. Tetraethyl Silicate No data available. 1-butanol. No data available.

titanium(4+)salt

1.2.4-No data available.

**TRIMETHYLBENZENE** 

Silicic acid, ethyl ester No data available.

12.3 Bioaccumulative potential

**Product:** No data available.

Specified substance(s)

STODDARD SOLVENT No data available. Tetraethyl Silicate No data available. 1-butanol, No data available.

titanium(4+)salt

1.2.4-No data available.

**TRIMETHYLBENZENE** 

Silicic acid, ethyl ester No data available.

12.4 Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

No data available.

STODDARD SOLVENT No data available. Tetraethyl Silicate No data available. 1-butanol, titanium(4+)salt No data available. 1,2,4-No data available.

TRIMETHYLBENZENE

Silicic acid, ethyl ester No data available.

12.5 Results of PBT and vPvB

assessment:

STODDARD SOLVENT No data available. Tetraethyl Silicate No data available.

SDS\_GB 12/16



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

1-butanol, titanium(4+)salt No data available. 1,2,4-TRIMETHYLBENZENE No data available. Silicic acid, ethyl ester No data available.

**12.6 Other adverse effects:** No data available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

**General information:** See Section 8 for information on appropriate personal protective

equipment. The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. Dispose of waste and residues in accordance with local authority

requirements.

**Disposal methods:** Can be incinerated when in compliance with local regulations.

# SECTION 14: Transport information

**ADR** 

14.1 UN Number: UN 1993

14.2 UN Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.(SOLVENT NAPHTHA,

TETRAETHYL SILICATE)

14.3 Transport Hazard Class(es)

Class: 3
Label(s): 3
Hazard No. (ADR): 30
Tunnel restriction code: (D/E)

14.4 Packing Group: III

14.5 Environmental Hazards: Not regulated.

Marine Pollutant No

ADN

14.1 UN Number: UN 1993

14.2 UN Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.(SOLVENT NAPHTHA,

TETRAETHYL SILICATE)

14.3 Transport Hazard Class(es)

Class: 3
Label(s): 3
14.4 Packing Group: III

14.5 Environmental Hazards: Not regulated.

Marine Pollutant No

**RID** 

14.1 UN Number: UN 1993

14.2 UN Proper Shipping Name FLAMMABLE LIQUID, N.O.S.(SOLVENT NAPHTHA,

TETRAETHYL SILICATE)

14.3 Transport Hazard Class(es)

Class: 3
Label(s): 3

14.4 Packing Group: III

14.5 Environmental Hazards: Not regulated.

Marine Pollutant No

**IMDG** 

14.1 UN Number: UN 1993

SDS\_GB 13/16



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

14.2 UN Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.(SOLVENT NAPHTHA,

TETRAETHYL SILICATE)

14.3 Transport Hazard Class(es)

 Class:
 3

 Label(s):
 3

 EmS No.:
 F-E, S-E

14.4 Packing Group:

14.5 Environmental Hazards: Not regulated.

Marine Pollutant: No.

IATA

14.1 UN Number: UN 1993

14.2 Proper Shipping Name: Flammable liquid, n.o.s.(SOLVENT NAPHTHA, TETRAETHYL

SILICATE)

14.3 Transport Hazard Class(es):

Class: 3
Label(s): 3

14.4 Packing Group: III

14.5 Environmental Hazards: Not regulated.

Marine Pollutant: No

**14.6 Special precautions for user:** Keep away from food, drink and animal feeding stuffs.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not applicable

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

**EU Regulations** 

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals: none

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC): none

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Concentration
STODDARD SOLVENT	8052-41-3	60 - 70%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.: none

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.: none

Directive 96/82/EC (Seveso III): on the control of major accident hazards involving dangerous substances:

SDS\_GB 14/16



Remarks: None.

Remarks: None.

Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

Chemical name	CAS-No.	Concentration
STODDARD SOLVENT	8052-41-3	60 - 70%
Tetraethyl Silicate	78-10-4	20 - 30%
1,2,4-TRIMETHYLBENZENE	95-63-6	1,0 - 10%

#### EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants: none

#### Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
Tetraethyl Silicate	78-10-4	20 - 30%
1,2,4-TRIMETHYLBENZENE	95-63-6	1,0 - 10%

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

**Inventory Status** 

Australia AICS: Remarks: None. y (positive listing) **EU EINECS List:** y (positive listing) Remarks: None. Japan (ENCS) List: y (positive listing) Remarks: None. China Inventory of Existing Remarks: None. y (positive listing) Chemical Substances:

Korea Existing Chemicals Inv.

(KECI):

y (positive listing) Canada DSL Inventory List: Remarks: None. Canada NDSL Inventory: n (Negative listing) Remarks: None. Philippines PICCS: y (positive listing) Remarks: None. US TSCA Inventory: y (positive listing) Remarks: None. Taiwan. Taiwan inventory y (positive listing) Remarks: None.

y (positive listing)

(CSNN):

**REACH**: If purchased from Momentive

Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other

reactants.

### **SECTION 16: Other information**

**Revision Information:** Not relevant.

Key literature references and No data available.

sources for data:

# Wording of the H-statements in section 2 and 3

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

Causes skin irritation. H315

H318 Causes serious eye damage.

SDS\_GB 15/16



Last revised date: 27.11.2018 Supersedes Date: 23.08.2017

#### SS4155

H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Training information:** No data available.

#### Classification according to Regulation (EC) No 1272/2008 as amended.

Flam. Liq. 3, H226 Flam. Liq. 3, H226 Eye Dam. 1, H318 Eye Dam. 1, H318 STOT SE 3, H335 STOT SE 3, H335 Aquatic Chronic 3, H412 Aquatic Chronic 3, H412

Issue Date: 27.11.2018 Disclaimer:

#### Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

### **Further Information**

The information provided in this Safety Data Sheet is correct to the best ofour knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,\*, and TM indicate trademarks owned by or licensed to Momentive.

SDS\_GB 16/16